Disable Ad Blocker Extensions for PDC Applications

If you have an ad blocker extension enabled, you may experience problems opening file and text products. If you run into this problem, please disable the ad blocker for our webpages. Below are some steps that explain how to disable the three most common ad blockers, AdBlock, Adblock Plus , and uBlock, for our application.

AdBlock

1. Click the AdBlock icon in the browser

2. Click "**Don't run on pages on this domain**" option

3. Move the "**Site**" slider to the right, the text will change to "***.pdc.org/***", click the "**Exclude**" button.

Don't run AdBlock on...

AdBlock won't run on any page matching:

.pdc.org/

You can slide below to change exactly what pages AdBlock won't run on.

Site: Page:

☑ Reload the page.

2. Click to enable

1. Move slider right!

Exclude   Cancel

4. The page will reload and pdc.org will no longer be blocked.

uBlock

1. Click on the uBlock icon in the browser.

2. Click on the Power symbol

uBlock Origin 1.14.8

Click This!

requests blocked

on this page

0 or 0%

domains connected

7 out of 7

3. The page will no longer be blocked.

Adblock Plus

1. Click on the Adblock Plus icon in the browser.

2. Click on *Options.*

   Click This!

3. Go to the *Whitelisted domains* tab and type "pdc.org" in the entry field. Then click *+ Add domain.*

   Adblock Plus Options

   | Filter lists | Add your own filters | Whitelisted domains | General |

   Adblock Plus is disabled for the domains listed below. You can add a domain either via the Adblock Plus icon in the address bar or by typing the domain (not a URL) in the box and clicking the "Add domain" button.

   + Add domain

   pdc.org

   − Remove selected

4. The page will no longer be blocked.